| | Application No. | Applicant(s) |
|--|---|--|
| | | |
| Notice of Allowability | 09/892,204 Examiner | GREEN ET AL. Art Unit |
| • | | · |
| | Sanjiv D. Shah | 2625 |
| The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT OF THE OFFICE | OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to | plication. If not included will be mailed in due course. THIS |
| 1. This communication is responsive to <u>Amdt. filed on 5/9/2005</u> . | | |
| 2. The allowed claim(s) is/are <u>1-32</u> . | | |
| 3. The drawings filed on are accepted by the Examiner. | | |
| 4. | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ☐ Interview Summary Paper No./Mail Da 8), ☐ Examiner's Amendr | tè ^ |

Application/Control Number: 09/892,204 Page 2

Art Unit: 2625

Drawings

1. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the submitted drawings are hand written and are not properly readable. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sanjiv D. Shah whose telephone number is (571) 272-4098. The examiner can normally be reached on M-F 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh M. Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/892,204

Art Unit: 2625

Sanjiv D. Shah Primary Examiner Art Unit 2625

S. Shah August 7, 2005